Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6744744".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 17:58
L2	23	turbo adj2 (encod$3 or cod$3) with demultiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 17:58
L3	6	2 and (@ad<="20010216" or @pd<="20010216")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/21 18:22
L4	5	3 and rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/21 18:23
L5	0	turbo adj2 decod$3 near2 (depunctur$3 and (de adj2 interleav$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/21 18:22
L6	0	turbo near2 decod$3 near2 (depunctur$3 and (de adj2 interleav$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/21 18:22
L7	13	turbo near2 decod$3 and (depunctur$3 and (de adj2 interleav$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/21 18:32
L8	6	7 and (@ad<="20010216" or @pd<="20010216")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/21 18:32
L9	6	8 and rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/21 18:27

L10	8	depunctur$3 with (soft adj2 combin$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/21 18:32
L11	7	10 and deinterleav$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/21 18:28
L12	1	11 and decod$3 with multiplex$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/21 18:28
L13	7	"714"/$.ccls. and turbo near2 decod$3 and (depunctur$3 and (de adj2 interleav$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/21 18:32
L14	5	13 and (@ad<="20010216" or @pd<="20010216")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/21 18:43
L15	2	independently near2 (de adj2 interleav$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/21 18:43
L16	13	independent$2 near2 (de adj2 interleav$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/21 18:43
L17	4	16 and (@ad<="20010216" or @pd<="20010216")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/21 18:43
S1	4	"6397367".pn. "6671851".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 10:29
S2	2	(US-6671851-$ or US-6397367-$).did.	USPAT	OR	OFF	2005/10/03 12:26
S3	16541	samsung.as.	USPAT	OR	OFF	2005/10/03 12:26
S4	1	S3 and (qctc or (quasi adj2 complementsry))	USPAT	OR	OFF	2005/10/03 12:27

S5	1	S3 and (qctc or (quasi adj2 complementsry))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/03 12:27
S6	1	S3 and (qctc or (quasi adj2 complementsry))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/03 13:38
S7	416	375/262.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/03 13:40
S8	1	S7 and (quasi adj2 complementary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/03 14:06
S9	7	S7 and (sub adj2 code$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/03 14:06
S10	4	S9 and (@ad<="20010216" or @pd<="20010216")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/21 17:59
S11	4	("5862186" | "5909434" | "5936979" | "6381455").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/03 14:11
S12	113	turbo adj2 enco$3 with (constituent adj encod$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/03 14:12
S13	117	turbo adj2 enco$3 with (constituent adj encod$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/03 14:15
S14	17	S13 and interleaver with (parity adj symbol$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/03 15:59
S15	223	puncturing with interleaver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/03 15:59

S16	78	S15 and (@ad<="20010216" or @pd<="20010216")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/03 16:00
S17	78	S16 and interleaver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/03 16:00
S18	0	S17 and parity adj symbol with code adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/03 16:01
S19	3	S17 and parity adj symbol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/03 16:01
S20	168978	samsung.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 10:29
S21	9	S20 and receiv$3 with (quasi adj2 complementary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 11:12
S22	1	S21 and (@ad<="20010216" or @pd<="20010216")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/04 11:13
S23	193	turbo adj encod$3 with punctur$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 11:12
S24	1	S23 and punctur$3 adj distance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 11:13

S25	65	S23 and punctur$3 adj pattern$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 11:13
S26	22	S25 and (@ad<="20010216" or @pd<="20010216")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/04 11:13
S27	2	"2002129314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 13:35
S28	0	"2002/129314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 13:37
S29	2	"2002129314"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/16 13:36
S30	17	"129314"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/16 13:36
S31	0	2002/129314	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 13:37
S32	2	"2002129314".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 13:38
S33	3	"2002152445"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 13:39

S34	0	"2002/152445"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 13:39
S35	17	"1231735"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 13:40
S36	39	kim.in. and qctc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:33
S37	0	(turbo near2 encod$3) near2 constituent near2 ((bit or symbol or data or information) adj stream) near2 interleaver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:35
S38	0	(turbo near2 encod$3) and constituent near2 ((bit or symbol or data or information) adj stream) near2 interleaver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:35
S39	0	(turbo near2 encod$3) near2 constituent near2 (bit$1 or symbol$1 or data or information) near2 interleaver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:36
S40	6	(turbo near2 encod$3) near2 constituent near2 (bit$1 or symbol$1 or data or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:36
S41	2	S40 and (@ad<="20010216" or @pd<="20010216")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:47

S42	45	qctc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:47
S43	40	S42 and turbo	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:49
S44	0	S43 and consttiuent and interleaver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:50
S45	15	S43 and constituent and interleaver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 14:50
S46	116	turbo adj encod$3 with code adj2 rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 12:35
S47	0	S46 and (demultiplexor or demultiplexor) with (info or data or information) and parity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 12:36
S48	4109254	S46 and (demultiplexor or demultiplexor) w	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 12:36
S49	0	S46 and (demultiplexor or demultiplexor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 12:39

S50	34	S46 and (deinterleaver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 12:44
S51	12	S50 and (@ad<="20010216" or @pd<="20010216")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 14:05
S52	171093	samsung.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 12:54
S53	0	S52 and reeiv$3 near2 (quasi adj2 complementary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 12:55
S54	2	S52 and receiv$3 near2 (quasi adj2 complementary)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 14:05
S55	17	interleav$3 with punctur$3 with distance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 14:05
S56	5	S55 and (@ad<="20010216" or @pd<="20010216")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 16:00
S57	0	(sequence near2 combin$3) near2 separat$3 near combin$2 near symbol$1 near2 parity near2 (symbol$1 or stream$1 or bit$1) near2 demultiplex$3 near2 code adj2 rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 16:03

S58	1983	turbo adj2 decod$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 16:03
S59	49	S58 and sequence adj2 combin$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 16:04
S60	8	S59 and (@ad<="20010216" or @pd<="20010116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 16:55
S61	755	714/755.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 16:48
S62	102	turbo adj2 decod$3 and (separat$3 near2 (info or data or information) and parity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 17:02
S63	26	S62 and (@ad<="20010216" or @pd<="20010116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 17:02
S64	0	S63 and ((de adj2 interleav$3) and (de adj2 multiplex$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 16:56
S65	10	S63 and ((de adj2 interleav$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 17:02

S66	384	714/792.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 17:02
S67	8	S66 and turbo adj2 decod$3 and (separat$3 near2 (info or data or information) and parity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 17:04
S68	2	S67 and (@ad<="20010216" or @pd<="20010116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 17:04
S69	1088	375/341.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 17:05
S70	9	S69 and turbo adj2 decod$3 and (separat$3 near2 (info or data or information) and parity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 17:05
S71	3	S70 and (@ad<="20010216" or @pd<="20010116")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 17:04
S72	1350	375/295.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 17:06
S73	2	S72 and turbo adj2 decod$3 and (separat$3 near2 (info or data or information) and parity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 17:06

S74	1350	375/295.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 17:06
S75	2	S74 and turbo adj2 decod$3 and (separat$3 near2 (info or data or information) and parity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 17:06